



# Aurkæe

AUGE sub-brand

SHENZHEN AUGE LIGHTING CO.,LTD  
ADD:Building 1-6, Tongfufu Industrial Zone,  
Aiqun Road, Shiyan Street, Baoan District,  
Shenzhen,Guangdong,China  
TEL:+86 0755-81733758/32910423  
FAX:+86 0755-81738190  
Mobile/WeChat +86 13534299581  
[www.auge-led.com/info@auge-led.com](http://www.auge-led.com/info@auge-led.com)


**Landscape lighting products**

**2024**



# ONE BELT, ONE ROAD

- Silk Road Economic Belt
- Maritime Silk Road Initiative



Aurkae LIGHTING




CP7008 .....P01~P02




CP7014 .....P03~P04



CP7015 .....P05~P06



CP7013 .....P25~P26



CP7018 .....P27~P28



CP7019 .....P29~P30



CP7001 .....P07~P08




CP7004-1 .....P09~P10



CP7004-2 .....P11~P12



CP7020 .....P31~P32



CP7021 .....P33~P34



CP7022 .....P35~P36



CP7005 .....P13~P14



CP7007-1 .....P15~P16




CP7007-2 .....P17~P18



CP7023 .....P37~P38




CP7024 .....P39~P40



CP7026 .....P41~P42



CP7009 .....P19~P20



CP7011 .....P21~P22



CP7012 .....P23~P24



CP7027 .....P43~P44



CP7028 .....P45~P46


Aurkae LIGHTING



CP7045.....P47~P48



CP7046.....P49~P50



CP7047.....P51~P52




DC001.....P69~P70



DC002.....P71~P72



DC003.....P73~P74



CP7048.....P53~P54



CP7049.....P55~P56



CP7050.....P57~P58



DC004.....P75~P76



DC005.....P77~P78



DC006.....P79~P80



CP7051.....P59~P60



CP7052.....P61~P62



CP7053.....P63~P64



DC007.....P81~P82



DC008.....P83~P84



CP7006.....P85~P86



CP7054.....P65~P66



CP7055.....P67~P68



CP7016.....P87~P88



CP7020.....P89~P90



ZT001.....P91~P92



Aurkae LIGHTING



BT001.....P93~P94



BT002.....P95~P96



BT004.....P97~P98



B1002.....P113~P114



B1005.....P115~P116



B1008.....P117~P118



DM001.....P99~P100



CP7025.....P101~P102



SD001.....P103~P104



B1009.....P119~P120



B1010.....P121~P122



B1015.....P123~P124



SD002.....P105~P106



SD003.....P107~P108




XQ001.....P109~P110



B1016.....P125~P126



DD001.....P127~P128




BY001-006.....P129



DZ001.....P111



DZ002.....P112




BY007-011.....P130

# Garden Bollard Light CP7008

outdoor


CP7008



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7008	All aluminum	12W / 24W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7014

outdoor



CP7014



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7014	All aluminum	12W / 24W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7015

outdoor



CP7015



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7015	All aluminum	12W / 24W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





# Garden Bollard Light CP7001

outdoor



CP7001



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7001	All aluminum	7W / 10W	COB	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7004-1



outdoor  
CP7004-1



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7004-1	All aluminum	7W / 10W	COB	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7004-2

outdoor



CP7004-2



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7004-2	All aluminum	7W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7005

outdoor



CP7005



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7005	All aluminum	12W	2835 SMD	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





# Garden Bollard Light CP7007-1


outdoor  
CP7007-1



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7007-1	All aluminum	7W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7007-2



outdoor  
CP7007-2



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7007-2	All aluminum	7W	COB	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7009

outdoor



CP7009



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7009	Acrylic + aluminum	/	E27	IP65	Matte Black/Grey	3000K	/

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7011

outdoor



CP7011



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7011	All aluminum	7W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways


- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7012

outdoor


CP7012



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7012	All aluminum	7W	COB	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7013

outdoor


CP7013



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7013	All aluminum	7W	COB	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7018

outdoor



CP7018



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7018	All aluminum	4W	SMD2835	IP65	Matte Brown	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7019

outdoor


CP7019



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7019	All aluminum	7W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7020

outdoor



CP7020



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7020	Acrylic + aluminum	7W	COB	IP65	Matte Brown	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7021

outdoor



CP7021



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7021	All aluminum	7W	COB	IP65	Matte Black/White	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7023

outdoor



CP7023



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7023	All aluminum	7W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7022

outdoor



CP7022



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7022	All aluminum	7W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7024

Outdoor


CP7024



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7024	All aluminum	7W	SMD2835	IP65	Matte Black	3000K	AC110-240V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Bollard Light CP7026

Outdoor



CP7026



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7026	All aluminum	10W	2835 SMD	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





# Garden Bollard Light CP7027

Outdoor



CP7027



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7027	Acrylic + aluminum	5W	2835 SMD	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





# Garden Bollard Light CP7028

Outdoor



CP7028



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7028	All aluminum	1W*4	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



# Garden Bollard Light CP7045

Outdoor



CP7045



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7045	All aluminum	4W	SMD2835	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7046

Outdoor


CP7046



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7046	All aluminum	4W	SMD2835	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V



# Garden Bollard Light CP7047

Outdoor



CP7047



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7047	All aluminum	4W	SMD2835	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7048

Outdoor


CP7048



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7048	All aluminum	4W	SMD2835	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V



# Garden Bollard Light CP7049

Outdoor



CP7049



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7049	All aluminum	4W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7050

Outdoor


CP7050



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
Cp7050	All aluminum	3W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7051

Outdoor




CP7051



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
Cp7051	All aluminum	4W	COB	IP65	Matte Black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7052

Outdoor


CP7052



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7052	Marble+Aluminum	6W	SMD2835	IP65	Dark/light color	3000K	DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7053

Outdoor


CP7053



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7053	Marble+Aluminum	6W	SMD2835	IP65	Dark/light color	3000K	DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7054

Outdoor


CP7054



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7054	Marble+Aluminum+Acrylic	6W	SMD2835	IP65	Dark/light color	3000K	DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V





# Garden Bollard Light CP7055

Outdoor



CP7055




Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7055	All aluminum	3/6W	COB	IP65	Sand Black	3000K	DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V










Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC001	All aluminum	5W	COB	IP65	Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V








Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC002	All aluminum	12W	COB	IP65	Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC003	All aluminum	5/7/12W	COB	IP65	Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC004	All aluminum	5W	COB	IP65	Gray	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V










Code	Material	Beam Angle	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC005	All aluminum	20-60°	7/12/20W	COB	IP65	Sand black	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC006	All aluminum	5/7W	COB	IP65	Gray	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC007	All aluminum	3W	COB	IP65	Gray	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DC008	All aluminum	6W	COB	IP65	Gray	3000K	DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V






# Garden Uplight

CP7006

Outdoor



CP7006



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7006	All aluminum	5W	GU10/COB	IP65	Sand black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7016	All aluminum	5/12W	COB	IP65	Sand black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






# Garden Uplight

CP7017

Outdoor


CP7017



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7017	All aluminum	20W	COB	IP65	Sand black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v




Garden Uplight

ZT001

Outdoor



ZT001



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
ZT001	Stainless Steel	4/6W	COB	IP65	Sand black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





# STAIR CASE LIGHT BT001

Outdoor


BT001



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
BT001	All aluminum	3W	COB	IP65	Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V



# STAIRE CASE LIGHT BT002

Outdoor


BT002



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
BT002	All aluminum	3W	COB	IP65	Matte Black/Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V







# STAIR CASE LIGHT BT004

Indoor


BT004



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
BT004	All aluminum	3W	COB	IP65	Matte White/Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V



# Underground Light DM001



Outdoor  
DM001



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DM001	All aluminum	3/5/7/12W	COB	IP67	Grey	3000K	AC110-240V DC24V

Gardens, balconies, terraces and walkways

- Silicon rubber gasket
- External driver with extended range 100V - 265V







# Garden uplight CP7025

outdoor

CP7025





IP65     

Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
CP7025	All aluminum	3W	COB	IP65	Sand black	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v







Underwater SD001

outdoor

SD001





IP68     


Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
SD001	All aluminum	12W	COB	IP68	Grey	Customized	DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v










Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
SD002	All aluminum	5W	COB	IP68	Grey	Customized	DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v









Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
SD003	All aluminum	7W	COB	IP68	Grey	Customized	DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





Wall light

XQ001

outdoor



XQ001



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
XQ001	All aluminum	7W	COB	IP65	Grey	3000K	AC110-240V DC24V

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



DZ001

outdoor


DZ001



Code	Material	Socket form	Maximum Current	Waterproof level	Exterior color	Luminous color	Peak voltage
DZ001	All aluminum	Three/Five	10/13A	IP66	Grey	/	250V~50/60Hz

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



DZ002

outdoor


DZ002



Code	Material	Socket form	Maximum Current	Waterproof level	Exterior color	Luminous color	Peak voltage
DZ002	All aluminum	Three/Five	10/13A	IP66	Grey	/	250V~50/60Hz

Gardens, balconies terraces and walkways

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





Wall Light B1002

indoor&outdoor



B1002



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1002	All aluminum	3W*2	COB	IP65	Sand black Sand white	3000K	AC110-240V DC24V

Indoor and outdoor area


- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



Wall Light B1005

indoor&outdoor



B1005



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1005	All aluminum	6W*2	COB	IP65	Sand black Sand white	3000K	AC110-240V DC24V

Indoor and outdoor area

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






Wall Light B1008

indoor&outdoor



B1008



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1008	All aluminum	12W	2835 SMD	IP65	Sand black Sand ash	3000K	AC110-240V DC24V

Indoor and outdoor area


- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



Wall Light B1009

indoor&outdoor



B1009



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1009	All aluminum	7W / 10W	COB	IP65	Sand black Sand ash	3000K	AC110-240V DC24V

Indoor and outdoor area

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





# Wall Light B1010

indoor&outdoor


B1010



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1010	All aluminum	15W/15W*2	COB	IP65	Sand black	3000K	AC110-240V DC24V

Indoor and outdoor area

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v



Wall Light B1015

indoor&outdoor



B1015



Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1015	All aluminum	7W	COB	IP65	Sand black	3000K	AC110-240V DC24V

Indoor and outdoor area

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v






Wall Light B1016

indoor&outdoor



B1016




Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
B1016	Marble+Aluminum	6W	SMD2835	IP65	Dark/light color	3000K	DC24V

Indoor and outdoor area

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v








Code	Material	Power	Light source chip	Waterproof level	Exterior color	Luminous color	Input voltage
DD001	Silica gel	2W/M	2835	IP67	White	3000K	DC24V

Indoor living area

- Die-cast Aluminium body
- Protective powder coated finish
- Silicon rubber gasket
- External driver with extended range 100v-265v





BY001-006

Outdoor

BY001-006



Code	Power	Waterproof level	Exterior color	Input voltage	Output Voltage
BY001-006	36W/45W/60W/ 80W/100W/150W	IP68	Grey	AC110-250V	AC110-240V DC24V

BY007-011

Outdoor

BY007-011



Code	Power	Waterproof level	Exterior color	Input voltage	Output Voltage
BY007-011	200W/250W/300W /350W/400W	IP68	Grey	AC110-250V	AC110-240V DC24V



Thanks for watching, Welcome to contact us:  
Email: [augelight@gmail.com](mailto:augelight@gmail.com) / [info@auge-led.com](mailto:info@auge-led.com)

